Tel: +44 (0)1772 323529 Fax: +44 (0)1772 314664 www.dixoneurope.co.uk



The Right Connection™

Dixon Group Europe Ltd. PRESSURE TEST CERTIFICATE

Customer

۱۸

4HUB01

Address

Huber S.A Spirou Patsi 67 118 55 - Votanikos Athens Greece

Certificate № 798645 Customer PO H.2023/19

All components listed below have successfully passed test inspection with no sign of leakage or coupling movement under procedure HYDRO.0002

		PART NO: PFLEX1-316		
		SCRIPTION: JGATED METAL HOSE AS	SS.	
	VITH 1in SS (TRI) CLAMP	304 SS SINGLE BRAID X PFERRULES (OD 50.4mm) AT EACH END.	гн
	** ID OF THE CLAMP F	ERRULES WILL BE 22.1r	nm **	
	PRESSURE TEST CERT	TIFICATE SUPPLIED TO 1	0 BAR	
No. Pieces Test Media Test Duration (min) Test Pressure (bar)	4 Water 1 10.00			
The				R
Ine	KIGNT	Conne	ection	Ĩ
	3			
By: S.Woodford				SPROVED PR
2	Date:	13 November 2019	bsi. 150 9001:2015	Register
sign: S. ware	240		Quality Management	
ign: Ingineering & Quality Manager			Q09970	0038
nyineening & Quality Manager				
e hereby declare that in the proc	Juct supplied as listed abo	ve have been inspected in	accordance with the ter	rms and conditions

Tel: +44 (0)1772 323529 Fax: +44 (0)1772 314664 www.dixoneurope.co.uk



The Right Connection™

Dixon Group Europe Ltd. PRESSURE TEST CERTIFICATE

Customer

4HUB01

Address

Huber S.A Spirou Patsi 67 118 55 - Votanikos Athens Greece

Certificate № 798645 Customer PO H.2023/19

All components listed below have successfully passed test inspection with no sign of leakage or coupling movement under procedure HYDRO.0002

	PART NO: ADFLEX1-316	
	DESCRIPTION: 1in ADFLEX CORRUGATED METAL HC	DSE ASS.
	HOSE - 316 SS CORE X 304 SS SINGLE BR/ WITH 1in SS (TRI) CLAMP FERRULES (OD 50	0.4mm) AT EACH END.
	** ID OF THE CLAMP FERRULES WILL BE	
	PRESSURE TEST CERTIFICATE SUPPLIE	D TO 10 BAR
No. Pieces Test Media Test Duration (min) Test Pressure (bar)	4 Water 1 10.00	
The	Right Con	nection®
The	Right Con	nection®
The	Right Con	nection®
The By: S.Woodford	Right Con	and Cavoage
By: S.Woodford	Right Con Date: 13 November 2	2019
		2019

Tel: +44 (0)1772 323529 Fax: +44 (0)1772 314664 www.dixoneurope.co.uk



The Right Connection™

Dixon Group Europe Ltd. PRESSURE TEST CERTIFICATE

Customer

۱۸

4HUB01

Address

Huber S.A Spirou Patsi 67 118 55 - Votanikos Athens Greece

Certificate № 798645 Customer PO H.2023/19

All components listed below have successfully passed test inspection with no sign of leakage or coupling movement under procedure HYDRO.0002

		P ART NO: DFLEX1-316	
		SCRIPTION: JGATED METAL HOSE ASS	З.
	WITH 1in SS (TRI) CLAMF	304 SS SINGLE BRAID X 20 P FERRULES (OD 50.4mm)	AT EACH END.
		FERRULES WILL BE 22.1m	
	PRESSURE TEST CER	TIFICATE SUPPLIED TO 10	BAR
No. Pieces Test Media Test Duration (min) Test Pressure (bar)	4 Water 1 10.00		
The	Right	Conne	ection [®]
The	Right	Conne	ection®
The	Right	Conne	ection®
	Right	Conne	0490.
S.Woodford	Right Date:		bsi. 150 9001:2015
S.Woodford		Conne 13 November 2019	bsi. 150
			bsi. 150 9001:2015 Register

Tel: +44 (0)1772 323529 Fax: +44 (0)1772 314664 www.dixoneurope.co.uk



The Right Connection™

Dixon Group Europe Ltd. PRESSURE TEST CERTIFICATE

Customer

۱۸

4HUB01

Address

Huber S.A Spirou Patsi 67 118 55 - Votanikos Athens Greece

Certificate № 798645 Customer PO H.2023/19

All components listed below have successfully passed test inspection with no sign of leakage or coupling movement under procedure HYDRO.0002

		PART NO: PFLEX1-316		
		SCRIPTION: JGATED METAL HOSE AS	SS.	
	HOSE - 316 SS CORE X 3 WITH 1in SS (TRI) CLAMP	FERRULES (OD 50.4mm	n) AT EACH END.	тн
	** ID OF THE CLAMP F	ERRULES WILL BE 22.1r	mm **	
	PRESSURE TEST CERT	TIFICATE SUPPLIED TO 1	10 BAR	
No. Pieces Test Media Test Duration (min) Test Pressure (bar)	4 Water 1 10.00			
The	Diabt	Conn	antior	R
	Right	COIIR	ecuor	1
	<u> </u>			
By: S.Woodford				Hoves at SPROVED AN
00	Date:	13 November 2019	(bsi. 9001:2015 Ouality	
sign: S. ware			Management	PRESSURE EQUIPMENT APPROVAL MARITIME
Engineering & Quality Manager			Q09970	0038
e hereby declare that in the proc	duct supplied as listed abov Order and unless noted abo			